Brain Research, 609 (1993) 357–359
Elsevier Science Publishers B.V.

Author Index

Ajmera, M.K., see Gutman, C.R. (609) 129
Alkadhi, K.A., see Salgado, D. (609) 307
Andersen, B.B., see Korbo, L. (609) 262
Ansari, M.S., see Kessler, R.M. (609) 237
Ariano, M.A., Fisher, R.S., Smyk-Randall, E., Sibley, D.R. and Levine, M.S.
D_2 dopamine receptor distribution in the rodent CNS using anti-peptide antisera (609) 71
Ashmore, J.F., see Lapeyre, P.N.M. (609) 269

Baker, H., see Park, D.H. (609) 59
Baker, R.S., see Porter, J.D. (609) 159
Beaulieu, C.
Numerical data on neocortical neurons in adult rat, with special reference to the GABA population (609) 284
Bennett, B.D. and Bolam, J.P.
Characterization of calretinin-immunoreactive structures in the striatum of the rat (609) 137
Berlind, A.
Heterogeneity of motorneuron driver potential properties along the anterior-posterior axis of the lobster cardiac ganglion (609) 51
Bolam, J.P., see Bennett, B.D. (609) 137
Bourgoin, S., see Collin, E. (609) 211
Boyle, A., see Lachman, H.M. (609) 110
Bronson, R.T., Lipman, R.D. and Harrison, D.E.
Age-related gliosis in the white matter of mice (609) 124

Carvalho, A.P., see Palmeira, C.M. (609) 117
Cesselin, F., see Collin, E. (609) 211
Chalmers, J., see Harbuz, M.S. (609) 167
Chui, D.-H., see Konishi, Y. (609) 29
Clanton, J.A., see Kessler, R.M. (609) 237
Collin, E., Frechilla, D., Pohl, M., Bourgoin, S., Le Bars, D., Hamon, M. and Cesselin, F.
Opioid control of the release of calcitonin gene-related peptide-like material from the rat spinal cord in vivo (609) 211
Coote, J.H., see Lewis, D.I. (609) 103
Cotman, C.W., see Kahle, J.S. (609) 201

Davies, P., see Honer, W.G. (609) 9
De Lacalle, S., Iraizoz, I. and Gonzalo, L.M.
Cell loss in supraoptic and paraventricular nucleus in Alzheimer's disease (609) 154
De Paulis, T., see Kessler, R.M. (609) 237
De Souza, L., see Harbuz, M.S. (609) 167
Dluzen, D.E. and Kreutzberg, J.D.
1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) disrupts social memory/recognition processes in the male mouse (609) 98

Eder-Colli, L., see Salem, N. (609) 223
Edwards, E., see Lachman, H.M. (609) 110
Endo, H., Sabri, M.I., Stephens, J.M., Pekala, P.H. and Kittur, S.
Acrylamide induces immediate-early gene expression in rat brain (609) 231
Engel, J.A., see Svensson, L. (609) 36

Fisher, R.S., see Ariano, M.A. (609) 71
Frechilla, D., see Collin, E. (609) 211
Fujimoto, K. and Kita, H.
Response characteristics of subthalamic neurons to the stimulation of the sensorimotor cortex in the rat (609) 185

Gaddie, I.B., see Porter, J.D. (609) 159
Garrett, B. and Geneser, F.A.
Diversity of relative intensities of acetylcholinesterase staining within the laminae of the visual cortex of four mammals (609) 341
Geneser, F.A., see Garrett, B. (609) 341
Gessa, G.L., see Rossetti, Z.L. (609) 316
Gonzalo, L.M., see De Lacalle, S. (609) 154
Grabau, G., see Mooradian, A.D. (909) 41
Gutman, C.R., Ajmera, M.K. and Hollyday, M.
Organization of motor pools supplying axial muscles in the chicken (609) 129
Guyenet, P.G., see Koshiya, N. (609) 174

Hamon, M., see Collin, E. (609) 211
Han, D., see Pingping, Z. (609) 253
Harbuz, M.S., Chalmers, J., De Souza, L. and Lightman, S.L.
Stress-induced activation of CRF and c-*fos* mRNAs in the paraventricular nucleus are not affected by serotonin depletion (609) 167
Haroutunian, V., see Santucci, A.C. (609) 327
Harrison, D.E., see Bronson, R.T. (609) 124
Henn, F.A., see Lachman, H.M. (609) 110
Hietanen-Peltola, M., see Junttila, T. (609) 149
Hirose, H., see Konishi, Y. (609) 29
Hökfelt, T., see Junttila, T. (609) 149
Hollyday, M., see Gutman, C.R. (609) 129
Honer, W.G., Hu, L. and Davies, P.
Human synaptic proteins with a heterogeneous distribution in cerebellum and visual cortex (609) 9
Hu, L., see Honer, W.G. (609) 9
Huangfu, D., see Koshiya, N. (609) 174
Hulthe, P., see Svensson, L. (609) 36

Inglefield, J.R., see Kellogg, C.K. (609) 244
Ingram, C.D., see Tolchard, S. (609) 21
Iraizoz, I., see De Lacalle, S. (609) 154

Jhamandas, J.H., see Petrov, T. (609) 81
Joh, T.H., see Park, D.H. (609) 59
Johannessen, K., see Svensson, L. (609) 36
Junttila, T., Hietanen-Peltola, M., Rechardt, L., Persson, L., Hökfelt, T. and Pelto-Huikko, M.
Ornithine decarboxylase-like immunoreactivity in rat spinal motoneurons and motoric nerves (609) 149
Juthani, M., see Lachman, H.M. (609) 110

Kahle, J.S., Ułas, J. and Cotman, C.W.
Increased sensitivity to adenosine in the rat dentate gyrus molecular layer two weeks after partial entorhinal lesions (609) 201
Kaneto, H., see Sugimachi, N. (609) 93
Kanof, P.D., see Santucci, A.C. (609) 327
Kellogg, C.K., Inglefield, J.R., Taylor, M.K. and Pleger, G.L.
Importance of hypothalamic function to stressor-induced responsiveness of the $GABA_A$ receptor in the cerebral cortex: a non-corticosterone influence (609) 244
Kelly, P.T., see Waxham, M.N. (609) 1
Kessler, R.M., Whetsell, W.O., Ansari, M.S., Votaw, J.R., De Paulis, T., Clanton, J.A., Schmidt, D.E., Mason, N.S. and Manning, R.G.
Identification of extrastriatal dopamine D_2 receptors in post mortem human brain with [^{125}I]epidepride (609) 237
Kim, K.S., see Park, D.H. (609) 59
Kita, H., see Fujimoto, K. (609) 185
Kittur, S., see Endo, H. (609) 231
Kolston, P.J., see Lapeyre, P.N.M. (609) 269
Konishi, Y., Chui, D.-H., Hirose, H., Kunishita, T. and Tabira, T.
Trophic effect of erythropoietin and other hematopoietic factors on central cholinergic neurons in vitro and in vivo (609) 29
Korbo, L., Andersen, B.B., Ladefoged, O. and Møller, A.
Total numbers of various cell types in rat cerebellar cortex estimated using an unbiased stereological method (609) 262
Koshiya, N., Huangfu, D. and Guyenet, P.G.
Ventrolateral medulla and sympathetic chemoreflex in the rat (609) 174
Koyama, N. and Yokota, T.
Ascending inhibition of nociceptive neurons in the nucleus ventralis posterolateralis following conditioning stimulation of the nucleus raphe magnus (609) 298
Kreutzberg, J.D., see Dluzen, D.E. (609) 98
Krieglstein, J., see Rami, A. (609) 67
Krukoff, T.L., see Petrov, T. (609) 81
Kunishita, T., see Konishi, Y. (609) 29

Lachman, H.M., Papolos, D.F., Boyle, A., Sheftel, G., Juthani, M., Edwards, E. and Henn, F.A.
Alterations in glucocorticoid inducible RNAs in the limbic system of learned helpless rats (609) 110

Ladefoged, O., see Korbo, L. (609) 262
Lapeyre, P.N.M., Kolston, P.J. and Ashmore, J.F.
GABA$_B$-mediated modulation of ionic conductances in type I hair cells isolated from guinea-pig semicircular canals (609) 269
Le Bars, D., see Collin, E. (609) 211
Lee, K.S. and Lowenkopf, T.
Endogenous adenosine delays the onset of hypoxic depolarization in the rat hippocampus in vitro via an action at A_1 receptors (609) 313
Levine, M.S., see Ariano, M.A. (609) 71
Lewis, D.I. and Coote, J.H.
The actions of 5-hydroxytryptamine on the membrane of putative sympatho-excitatory neurones in the rostral ventrolateral medulla of the adult rat in vitro (609) 103
Lightman, S.L., see Harbuz, M.S. (609) 167
Lipman, R.D., see Bronson, R.T. (609) 124
Liu, C., see Shao, N. (609) 338
Liu, D. and McAdoo, D.J.
Methylprednisolone reduces excitatory amino acid release following experimental spinal cord injury (609) 293
Longu, G., see Rossetti, Z.L. (609) 316
Lowenkopf, T., see Lee, K.S. (609) 313
Lynch, G.R., see Margraf, R.R. (609) 45

Malenka, R.C., see Waxham, M.N. (609) 1
Manning, R.G., see Kessler, R.M. (609) 237
Margraf, R.R. and Lynch, G.R.
An in vitro circadian rhythm of melatonin sensitivity in the suprachiasmatic nucleus of the djungarian hamster, *Phodopus sungorus* (609) 45
Mason, N.S., see Kessler, R.M. (609) 237
Mauk, M.D., see Waxham, M.N. (609) 1
McAdoo, D.J., see Liu, D. (609) 293
Medilanski, J., see Salem, N. (609) 223
Mercuro, G., see Rossetti, Z.L. (609) 316
Mitchell, J., see Sundstrom, L.E. (609) 321
Møller, A., see Korbo, L. (609) 262
Mooradian, A.D., Grabau, G. and Uko-eninn, A.
In situ quantitative estimates of the age-related and diabetes-related changes in cerebral endothelial barrier antigen (909) 41

Nadelhaft, I., Vera, P.L. and Steinbacher, B.
Hypertrophic neurons innervating the urinary bladder and colon of the streptozotocin-diabetic rat (609) 277
Nagy, I., Urban, L. and Woolf, C.J.
Morphological and membrane properties of young rat lumbar and thoracic dorsal root ganglion cells with unmyelinated axons (609) 193
Nakamura, T., see Sugimachi, N. (609) 93

Ogita, K., see Pingping, Z. (609) 253
Oliveira, C.R., see Palmeira, C.M. (609) 117

Palmeira, C.M., Santos, M.S., Carvalho, A.P. and Oliveira, C.R.
Membrane lipid peroxidation induces changes in γ-[^{3}H]aminobutyric acid transport and calcium uptake by synaptosomes (609) 117
Papolos, D.F., see Lachman, H.M. (609) 110
Park, D.H., Stone, D.M., Baker, H., Wessel, T.C., Kim, K.S., Towle, A.C. and Joh, T.H.
Changes in activity and mRNA for rat tryptophan hydroxylase and aromatic L-amino acid decarboxylase of brain serotonergic cell bodies and terminals following neonatal 5,7-dihydroxytryptamine (609) 59
Parker, B.A., see Sullivan, R.M. (609) 347
Pekala, P.H., see Endo, H. (609) 231
Pellegrinelli, N., see Salem, N. (609) 223
Pelto-Huikko, M., see Junttila, T. (609) 149
Persson, L., see Junttila, T. (609) 149
Petrov, T., Krukoff, T.L. and Jhamandas, J.H.
Branching projections of catecholaminergic brainstem neurons to the paraventricular hypothalamic nucleus and the central nucleus of the amygdala in the rat (609) 81
Pingping, Z., Ogita, K., Han, D. and Yoneda, Y.
Comparative studies on binding of 3 different ligands to the *N*-methyl-D-aspartate recognition domain in brain synaptic membranes treated with Triton X-100 (609) 253
Pleger, G.L., see Kellogg, C.K. (609) 244
Pohl, M., see Collin, E. (609) 211
Porter, J.D., Stava, M.W., Gaddie, I.B. and Baker, R.S.
Quantitative analysis of eyelid movement metrics reveals the highly stereotyped nature of monkey blinks (609) 159

Rami, A. and Krieglstein, J.
Protective effects of calpain inhibitors against neuronal damage caused by cytotoxic hypoxia in vitro and ischemia in vivo (609) 67
Rechardt, L., see Junttila, T. (609) 149
Reis, D.J., see Sun, M.-K. (609) 333
Rossetti, Z.L., Longu, G., Mercuro, G. and Gessa, G.L.
Extraneuronal noradrenaline in the prefrontal cortex of morphine-dependent rats: tolerance and withdrawal mechanisms (609) 316
Rush, R.A., see Smet, P.J. (609) 351

Sabri, M.I., see Endo, H. (609) 231
Salem, N., Medilanski, J., Pellegrinelli, N. and Eder-Colli, L.
The proportion of amphiphilic choline acetyltransferase in *Drosophila melanogaster* is higher than in rat or *Torpedo* and is developmentally regulated (609) 223
Salgado, D., Shek, E.W. and Alkadhi, K.A.
Effects of ATP-sensitive K^+-channel activators on transmitter release parameters at the frog neuromuscular junction (609) 307
Santos, M.S., see Palmeira, C.M. (609) 117
Santucci, A.C., Kanof, P.D. and Haroutunian, V.
Cholinergic marker deficits induced by lesions of the nucleus basalis of Meynert are attenuated by nerve growth factor in young, but not in aged, F344 rats (609) 327
Schmidt, D.E., see Kessler, R.M. (609) 237
Shao, N., Wang, H., Zhou, T. and Liu, C.
7S Nerve growth factor has different biological activity from 2.5S nerve growth factor in vitro (609) 338
Sheftel, G., see Lachman, H.M. (609) 110
Shek, E.W., see Salgado, D. (609) 307
Sibley, D.R., see Ariano, M.A. (609) 71
Smet, P.J. and Rush, R.A.
Effect of ciliary neuronotrophic factor on somatostatin expression in chick ciliary ganglion neurons (609) 351
Smyk-Randall, E., see Ariano, M.A. (609) 71
Stava, M.W., see Porter, J.D. (609) 159
Steinbacher, B., see Nadelhaft, I. (609) 277
Stephens, J.M., see Endo, H. (609) 231
Stone, D.M., see Park, D.H. (609) 59
Sugimachi, N., Nakamura, T., Takahashi, M. and Kaneto, H.
Lack of the development of morphine tolerance in experimental amnesia: role of arginine vasopressin (609) 93
Sullivan, R.M., Parker, B.A. and Szechtman, H.
Role of the corpus callosum in expression of behavioral asymmetries induced by a unilateral dopamine lesion of the substantia nigra in the rat (609) 347
Sun, M.-K. and Reis, D.J.
Differential responses of barosensitive neurons of rostral ventrolateral medulla to hypoxia in rats (609) 333
Sundstrom, L.E., Mitchell, J. and Wheal, H.V.
Bilateral reorganisation of mossy fibres in the rat hippocampus after a unilateral intracerebroventricular kainic acid injection (609) 321
Svensson, L., Wu, C., Hulthe, P., Johannessen, K. and Engel, J.A.
Effect of ageing on extracellular ascorbate concentration in rat brain (609) 36
Szechtman, H., see Sullivan, R.M. (609) 347

Tabira, T., see Konishi, Y. (609) 29
Takahashi, M., see Sugimachi, N. (609) 93
Taylor, M.K., see Kellogg, C.K. (609) 244
Tolchard, S. and Ingram, C.D.
Electrophysiological actions of oxytocin in the dorsal vagal complex of the female rat in vitro: changing responsiveness during the oestrous cycle and after steroid treatment (609) 21
Towle, A.C., see Park, D.H. (609) 59

Uko-eninn, A., see Mooradian, A.D. (909) 41
Ułas, J., see Kahle, J.S. (609) 201
Urban, L., see Nagy, I. (609) 193

Vera, P.L., see Nadelhaft, I. (609) 277
Votaw, J.R., see Kessler, R.M. (609) 237

Wang, H., see Shao, N. (609) 338
Waxham, M.N., Malenka, R.C., Kelly, P.T. and Mauk, M.D. Calcium/calmodulin-dependent protein kinase II regulates hippocampal synaptic transmission (609) 1
Wessel, T.C., see Park, D.H. (609) 59
Wheal, H.V., see Sundstrom, L.E. (609) 321
Whetsell, W.O., see Kessler, R.M. (609) 237
Woolf, C.J., see Nagy, I. (609) 193
Wu, C., see Svensson, L. (609) 36

Yokota, T., see Koyama, N. (609) 298
Yoneda, Y., see Pingping, Z. (609) 253

Zhou, T., see Shao, N. (609) 338

(contents continued)

Characterization of calretinin-immunoreactive structures in the striatum of the rat
B.D. Bennett and J.P. Bolam (UK) 137
Ornithine decarboxylase-like immunoreactivity in rat spinal motoneurons and motoric nerves
T. Junttila, M. Hietanen-Peltola, L. Rechardt, L. Persson, T. Hökfelt and M. Pelto-Huikko (Finland, Sweden) 149
Cell loss in supraoptic and paraventricular nucleus in Alzheimer's disease
S. De Lacalle, I. Iraizoz and L.M. Gonzalo (Spain) 154
Quantitative analysis of eyelid movement metrics reveals the highly stereotyped nature of monkey blinks
J.D. Porter, M.W. Stava, I.B. Gaddie and R.S. Baker (USA) 159
Stress-induced activation of CRF and c-*fos* mRNAs in the paraventricular nucleus are not affected by serotonin depletion
M.S. Harbuz, J. Chalmers, L. De Souza and S.L. Lightman (UK) 167
Ventrolateral medulla and sympathetic chemoreflex in the rat
N. Koshiya, D. Huangfu and P.G. Guyenet (USA) 174
Response characteristics of subthalamic neurons to the stimulation of the sensorimotor cortex in the rat
K. Fujimoto and H. Kita (USA) 185
Morphological and membrane properties of young rat lumbar and thoracic dorsal root ganglion cells with unmyelinated axons
I. Nagy, L. Urban and C.J. Woolf (Hungary, UK) 193
Increased sensitivity to adenosine in the rat dentate gyrus molecular layer two weeks after partial entorhinal lesions
J.S. Kahle, J. Ułas and C.W. Cotman (USA) 201
Opioid control of the release of calcitonin gene-related peptide-like material from the rat spinal cord in vivo
E. Collin, D. Frechilla, M. Pohl, S. Bourgoin, D. Le Bars, M. Hamon and F. Cesselin (France) 211
The proportion of amphiphilic choline acetyltransferase in *Drosophila melanogaster* is higher than in rat or *Torpedo* and is developmentally regulated
N. Salem, J. Medilanski, N. Pellegrinelli and L. Eder-Colli (Switzerland) 223
Acrylamide induces immediate-early gene expression in rat brain
H. Endo, M.I. Sabri, J.M. Stephens, P.H. Pekala and S. Kittur (USA) 231
Identification of extrastriatal dopamine D_2 receptors in post mortem human brain with [^{125}I]epidepride
R.M. Kessler, W.O. Whetsell, M.S. Ansari, J.R. Votaw, T. De Paulis, J.A. Clanton, D.E. Schmidt, N.S. Mason and R.G. Manning (USA) 237
Importance of hypothalamic function to stressor-induced responsiveness of the $GABA_A$ receptor in the cerebral cortex: a non-corticosterone influence
C.K. Kellogg, J.R. Inglefield, M.K. Taylor and G.L. Pleger (USA) 244
Comparative studies on binding of 3 different ligands to the *N*-methyl-D-aspartate recognition domain in brain synaptic membranes treated with Triton X-100
Z. Pingping, K. Ogita, D. Han and Y. Yoneda (Japan) 253
Total numbers of various cell types in rat cerebellar cortex estimated using an unbiased stereological method
L. Korbo, B.B. Andersen, O. Ladefoged and A. Møller (Denmark) 262
$GABA_B$-mediated modulation of ionic conductances in type I hair cells isolated from guinea-pig semicircular canals
P.N.M. Lapeyre, P.J. Kolston and J.F. Ashmore (UK) 269
Hypertrophic neurons innervating the urinary bladder and colon of the streptozotocin-diabetic rat
I. Nadelhaft, P.L. Vera and B. Steinbacher (USA) 277
Numerical data on neocortical neurons in adult rat, with special reference to the GABA population
C. Beaulieu (Canada) 284
Methylprednisolone reduces excitatory amino acid release following experimental spinal cord injury
D. Liu and D.J. McAdoo (USA) 293
Ascending inhibition of nociceptive neurons in the nucleus ventralis posterolateralis following conditioning stimulation of the nucleus raphe magnus
N. Koyama and T. Yokota (Japan) 298
Effects of ATP-sensitive K^+-channel activators on transmitter release parameters at the frog neuromuscular junction
D. Salgado, E.W. Shek and K.A. Alkadhi (USA) 307

Short Communications

Endogenous adenosine delays the onset of hypoxic depolarization in the rat hippocampus in vitro via an action at A_1 receptors
K.S. Lee and T. Lowenkopf (USA) 313
Extraneuronal noradrenaline in the prefrontal cortex of morphine-dependent rats: tolerance and withdrawal mechanisms
Z.L. Rossetti, G. Longu, G. Mercuro and G.L. Gessa (Italy) 316